IEEE Xplore℠
RELEASE 2.0

Welcome United States Patent and Trademark Office

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

▪▪▪Search Session History

Thu, 7 Apr 2005, 8:56:15 PM EST

Search Query Display

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries   Results

#1   (((ddns)<in>metadata)   4

#2   (DDNS<IN>metadata)   4

#3   (Dynamic DNS<IN>metadata)   4

#4   (dns<in>metadata)   156

#5   (ddns<in>metadata)   4

#6   (dhcp<in>metadata)   32

#7   (dhcp<in>metadata)   32

#8   (((dynamic <sentence> dns)<in>metadata)   16

#9   (((dynamic <sentence> sharing <sentence> ip <sentence> address)<in>metadata)   1

#10 ((sharing <sentence> ip <sentence> address)<in>metadata)   7

#11 ((dhcp <sentence> (dns <or> ddns))<in>metadata)   3

#12 (((ddns <paragraph> dhcp <paragraph> ip <paragraph> address)<in>metadata)   0

#13 (((dns <paragraph> sharing <paragraph> ip <paragraph> address)<in>metadata)   3

#14 ((wins <paragraph> dns)<in>metadata)   0

#15	((wins \<paragraph\> dhcp)\<in\>metadata)	0
#16	((dhcp \<paragraph\> ip \<paragraph\> address)\<in\>metadata)	14
#17	((nat \<sentence\> (dns \<or\> ddns))\<in\>metadata)	5
#18	((nat \<paragraph\> sharing \<paragraph\> ip \<paragraph\> address)\<in\>metadata)	1

Help   Contact Us   Privacy & Security   IEEE.org

Indexed by
Inspec

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	6	13 AND 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/04/07 19:29
L15	659	(dynamic NEAR DNS)OR DDNS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/04/07 19:29
L14	4	12 AND 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/04/07 19:29
S137	48	shar$3 IP address (plural$3 OR multipl$5)server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/04/07 19:28
L13	48	shar$3 IP address (plural$3 OR multipl$5)server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/04/07 19:28
L12	6681	(709/226-229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 19:27
L1	6	(("6052725") or ("6233616") or ("5812819")).PN.	USPAT; DERWENT; IBM_TDB	OR	OFF	2005/04/07 18:53
S144	2	("6381650").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 18:52
S143	11	DHCP request IP address dynamic$5 leas$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/04/07 17:47

S14 2	126	DHCP.ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/07 17:35
S14 1	16	S140 AND (expir$3 WITH (time OR (time NEAR3 live))) AND connection	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/07 15:56
S14 0	119	dynamic$4 (shar$3 OR allocat$3) IP address (plural$3 OR multipl$5) server	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/07 15:54
S13 8	17	dynamic$4 (shar$3 OR allocat$3) IP address (plural$3 OR multipl$5)server	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/07 15:54
S13 6	31	S133 AND S135	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/07 07:24
S13 5	8118	(DNS OR manager OR controller) SAME IP SAME address	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/07 07:24
S13 4	2	S133 SAME (DNS OR manager OR controller) SAME IP SAME address	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/07 07:24
S13 3	372	(determin$3 OR check$3 OR examin$3) SAME (continual OR constant OR persistent) SAME (connection OR session OR communication OR link OR bond) SAME(client OR user OR (client NEAR2 (network OR machine OR terminal OR system))) SAME (server OR (web NEAR2 (server OR host)))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/07 07:18

S13 2	9	(manager OR controller OR arbitrator OR DNS OR (name NEAR2 (server OR resolv$3))) (connected OR coupled)(plurality OR multiplicity OR array OR multiple OR several OR (at$1least NEAR2 two))server (shar$3 WITH IP WITh address)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/04/06 19:18
S13 0	6191	(manager OR controller OR arbitrator OR DNS OR (name NEAR2 (server OR resolv$3))) (connected OR coupled)(plurality OR multiplicity OR array OR multiple OR several OR (at$1least NEAR2 two))server	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/04/06 19:17
S13 1	11	S123 AND S130	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/04/06 19:11
S12 9	4813	(manager OR controller OR arbitrator) (connected OR coupled)(plurality OR multiplicity OR multiple OR (at$1least NEAR2 two))server	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/04/06 19:11
S12 8	6	S126 AND (shar$3 WITH IP WITH address)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/04/06 19:06
S12 6	15	S123 AND S125	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/04/06 19:03
S12 5	6722	(manager OR DNS OR (name NEAR2 server))(plurality OR multipl$5) server	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/04/06 19:03
S12 1	78	(manager OR DNS OR (name NEAR2 server))shar$3 IP address (plurality OR multipl$5) server	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/04/06 19:02

S12 4	5	S121 AND S123	US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/06 18:59
S12 3	31	receiv$3 request IP address (associat$3 OR relat$3 OR point$3)(domain NEAR2 name)	US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/06 18:59
S12 2	5	(manager OR DNS OR (name NEAR2 server))shar$3 IP address (plurality OR multipl$5) server	US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/06 18:56
S12 0	15	S119 AND @ad<"20020228"	US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/10 18:16
S11 9	23	S111 SAME (sharing OR allocating)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/02/10 18:16
S11 8	9	S117 AND @ad<"20020228"	US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/10 18:16
S11 2	10	S111 SAME sharing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/02/10 18:16
S11 7	28	DDNS SAME (domain ADj name)SAME (IP ADJ address)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/02/10 18:12
S36	106	S35 AND @ad<"20020228"	US-PGPU B; USPAT; EPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/10 18:12

S115	65	DDNS WITH dynamic$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/02/10 18:10
S114	29	sharing IP address dynamic$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/02/10 18:10
S109	13	sharing IP address dynamic$5 (server OR host OR (domain ADJ name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/02/10 18:07
S111	1824	(name$1server OR DNS OR DDNS OR (dynamic ADJ DNS)) (domain NEAR2 name) IP address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/02/10 17:05
S110	6	name$1server domain name IP address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/02/10 17:03
S108	4	DNS AND S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/09 17:05
S105	23	cluster server sharing IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/09 17:04
S100	210	sharing NEAR4 IP NEAR3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/09 16:54
S97	1	S94 AND (pool NEAR4 IP NEAR2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/09 16:53

S94	42	S93 WITH (domain ADJ name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/09 16:17
S93	484	DDNS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/09 16:16
S92	19	S91 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 17:48
S91	23	S90 AND (DNS SAME (domain NEAR2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 17:48
S81	25	S80 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 17:48
S90	71	dynamic$3 WITH shar$3 WITH IP WITH address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 17:46
S89	4	S88 AND (dynamic$5 WITH sharing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 17:44
S88	22	S87 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 17:28
S87	57	S86 SAME IP SAME address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	WITH	ON	2005/02/08 17:25

S86	459	DDNS	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	WITH	ON	2005/02/08 17:25
S85	9	S84 and (DOMAIN neaR2 NAME)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	WITH	ON	2005/02/08 17:25
S84	16	SHARING IP ADDRESS DNS	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	WITH	ON	2005/02/08 17:08
S83	23	(farm OR cluster)WITH server WITH (shar$3 OR leas$3)WITH IP WITH address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 17:07
S82	6	S81 AND ((leas$3 OR expir$3) WITH IP WITH address)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 16:37
S73	25	S72 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 16:29
S80	42	S74 AND S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 16:28
S79	172	S77 SAME (domain NEAR name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 16:28
S78	229	S77 AND (domain NEAR name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 16:28

S77	296	DNS WITH dynamic WITH IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 16:28
S76	1	DNSCM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 16:27
S75	6	S73 AND S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 16:27
S74	11914	(709/203,220,226,227,228, 229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:19
S28	11899	(709/203,220,226,227,228, 229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:19
S72	37	(assign$3 OR allocat$3 OR leas$3) SAME (temp OR temporary OR non$1permanent) SAME (IP NEAR4 address) SAME ((domain NEAR2 name) OR (web NEAR2 (host OR server)) OR (host NEAr2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 16:18
S67	24	S66 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 16:18
S71	6	(assign$3 OR allocat$3 OR leas$3) WITH (temp OR temporary OR non$1permanent) WITH (IP NEAR4 address) WITH ((domain NEAR2 name) OR (web NEAR2 (host OR server)) OR (host NEAr2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 16:17

S70	23	S69 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 14:17
S69	45	S68 SAME (pool OR table)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 14:17
S68	196	IP WITH address WITH expir$5 WITH time	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 14:16
S64	23	S63 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 13:18
S66	42	dynamic$5 map$4 (domain OR (domain ADJ name)) IP address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	WITH	ON	2005/02/08 13:17
S53	330	DNS DHCP host	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	WITH	ON	2005/02/08 13:16
S65	2	S64 AND (pool NEAR4 IP)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 10:29
S61	48	S60 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 10:09
S63	35	dynamic$5 shar$3 IP address DNS	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 10:08

S60	75	S59 SAME (domain NEAR2 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 09:48
S59	190	wins SAME DNS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 09:48
S1	3496	DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/08 09:47
S58	8	S56 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 16:50
S56	8	S55 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 16:50
S57	27	dynamic$5 WITh map$3 WITH IP WITH address WITH domain	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 16:49
S55	15	S54.ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	WITH	ON	2005/02/07 15:49
S54	267	DNS DHCP host domain	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	WITH	ON	2005/02/07 15:49
S45	185	S44 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 15:49

S52	19	S51 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 15:48
S31	13	sharing WITH pool WITH IP WITH address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 15:29
S51	25	S50 SAME expir$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 15:21
S50	260	S49 SAME DNS	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 15:10
S49	442	map$4 WITH domain WITH IP	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 15:10
S48	13	S46 AND ((domain NEAR2 name)WITH assign$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 15:09
S47	43	S46 AND (domain NEAR2 name)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 14:32
S46	48	S28 AND S45	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 14:31
S43	47	S42 AND @ad<"20020228"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 14:31

S44	305	DNS WITH dynamic$5 WITH IP WITH address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 14:30
S42	56	S28 AND S40	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 14:13
S40	194	map$4 WITH (domain NEAR2 name)WITH (host OR server)WITH IP WITH address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 14:13
S41	7	S40 SAME shar$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 14:10
S39	15	S37 AND S38	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 14:08
S38	600	pool WITH IP WITH address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 13:26
S37	40	S36 AND expir$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 13:26
S35	153	S28 AND S34	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 13:24
S34	788	S33 SAME hosts	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 13:24

S33	1164	(((allocat$3 OR assign$3)NEAR2 IP)WITH address)SAME DHCP	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 13:24
S30	4	sharing WITH pool WITH IP WITH server	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 13:22
S32	1	"6219708".PN.	USPAT; USOCR	SAME	ON	2005/02/07 12:44
S29	17	S27 AND S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 12:30
S7	11899	(709/203,220,226,227,228, 229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 11:32
S27	113	((The Internet Corporation for Assigned Names and Numbers) OR (ICANN))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/02/07 11:31
S26	6	S20 AND S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 09:53
S25	74	S19 AND S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 09:53
S24	638	request WITH IP WITH address WITH (domain OR (domain ADJ name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 09:52
S18	2108	(host OR server OR (web ADJ server)OR ((web NEAR (page OR site)) ADJ server))SAME IP SAME (allocat$3 OR assign$5) SAME dynamic$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 09:51

S23	4	S21 AND S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 09:45
S22	103	shar$3 WITH IP WITH (domain OR (domain ADJ name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 09:45
S21	246	S19 AND S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 09:44
S20	11899	(709/203,220,226,227,228, 229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 09:43
S19	1265	S18 SAME DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/07 09:43
S17	14	(shar$3 WITH IP WITH address) SAME (among NEAR3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/04 16:59
S16	4	(shar$3 WITH IP WITH limited WITH address) AND (among NEAR3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/04 16:58
S13	34	shar$3 WITH IP WITH limited WITH address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/04 16:56
S14	13	S13 SAME server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/04 16:34

S12	26	S11 AND S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/04 16:31
S11	73	S10 AND S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/04 16:17
S10	547	S1 AND S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/04 16:17
S9	4	S4 AND S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/04 16:16
S8	100	S6 AND S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/04 16:15
S4	2627	leas$3 WITH IP WITH address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/04 16:15
S6	1451	dynamic$5 NEAR3 resource NEAR3 allocat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/02/04 16:13
S5	24	S1 S2 S3 S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/02/04 16:11
S3	34371	expir$6 NEAR3 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/04 16:04

S2	351786	predetermin$3 NEAR2 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/04 16:04